

# The cleanthesis Package

A LaTeX Style for Thesis Documents

Ricardo Langner  
[info@cleanthesis.der-ric.de](mailto:info@cleanthesis.der-ric.de)

Version 0.3  
May 12, 2013

## Contents

<b>List of Tables</b>	<b>1</b>	<b>1.4 Acknowledgments</b>	<b>1</b>
<b>1 Introduction</b>	<b>1</b>	<b>1.5 Prerequisites</b>	<b>2</b>
1.1 About	1	<b>2 User Guide</b>	<b>2</b>
1.2 License	1	2.1 Package Options	2
1.3 Feedback	1		

## List of Tables

### 1 Introduction

#### 1.1 About cleanthesis

#### 1.2 License

Copyright © 2011–2013 Ricardo Langner. *Clean Thesis* is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

*Clean Thesis* is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

#### 1.3 Feedback

#### 1.4 Acknowledgments

I would like to thank the following people for using the *Clean Thesis* style and giving feedback to me, e.g., features, bugs.

- **Anton Augsburg** in his project thesis  
<http://antonaugsburg.de/> (in German only)
- **Mathias Frisch** in his dissertation (PhD)  
<http://wwwpub.zih.tu-dresden.de/~frisch/>
- **Sebastian Kleinau** in his bachelor thesis  
<http://www.sk-downloading.de/> (in German only)

## 1.5 Prerequisites

The following section gives an overview of all resources required by this package.

### 1.5.1 Requirements

## 2 User Guide

### 2.1 Package Options

All package options are given in  $\langle key \rangle = \langle value \rangle$  notation. The value `true` can be omitted for all boolean keys, e.g., `sansserif` without a value is equivalent to `sansserif=true`.

All of the following options must be used as `cthesis` is loaded, i. e., in the optional argument to `\usepackage`.

`sansserif=true, false` default: false

Sets whether to use a sans serif font or not.

`hangfigurecaption=true, false` default: false

`hangsection=true, false` default: true

`hangsubsection=true, false` default: true

`figuresep=none,colon,period,space,quad,endash` default: endash

This option can be used to define a different label separator for citations of figures. The following values are allowed:

<code>none</code>	Inserts no character in between.
<code>colon</code>	Inserts a colon (:) in between.
<code>period</code>	Inserts a period (.) in between.
<code>space</code>	Inserts a single space character in between.

**endash** Inserts an en dash (–) in between.

`colortheme=bluemagenta,bluegreen` default: bluemagenta

"Biber [is] a BibTeX replacement for users of BibLaTeX", see <http://biblatex-biber.sourceforge.net/>.