

The cleanthesis Package

A LaTeX Style for Thesis Documents

Ricardo Langner
info@cleanthesis.der-ric.de

Version 0.3
May 12, 2013

Contents

List of Tables	1	1.4 Acknowledgments	1
1 Introduction	1	1.5 Prerequisites	2
1.1 About	1	2 User Guide	2
1.2 License	1	2.1 Package Options	2
1.3 Feedback	1		

List of Tables

1 Introduction

1.1 About `cleanthesis`

1.2 License

Copyright © 2011–2013 Ricardo Langner. *CleanThesis* is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

CleanThesis is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

1.3 Feedback

1.4 Acknowledgments

I would like to thank the following people for using the *CleanThesis* style and giving feedback to me, e.g., features, bugs.

- **Anton Augsburg** in his project thesis
<http://antonaugsburg.de/> (in German only)
- **Mathias Frisch** in his dissertation (PhD)
<http://wwwpub.zih.tu-dresden.de/~frisch/>
- **Sebastian Kleinau** in his bachelor thesis
<http://www.sk-downloading.de/> (in German only)

1.5 Prerequisites

The following section gives an overview of all resources required by this package.

1.5.1 Requirements

2 User Guide

2.1 Package Options

All package options are given in $\langle key \rangle = \langle value \rangle$ notation. The value `true` can be omitted for all boolean keys, e.g., `sansserif` without a value is equivalent to `sansserif=true`.

All of the following options must be used as `cthesis` is loaded, i. e., in the optional argument to `\usepackage`.

<code>sansserif=true, false</code>	default: false
------------------------------------	----------------

Sets whether to use a sans serif font or not.

<code>hangfigurecaption=true, false</code>	default: false
--	----------------

<code>hangsection=true, false</code>	default: true
--------------------------------------	---------------

<code>hangsubsection=true, false</code>	default: true
---	---------------

<code>figuresep=none,colon,period,space,quad,endash</code>	default: endash
--	-----------------

This option can be used to define a different label separator for citations of figures. The following values are allowed:

<code>none</code>	Inserts no character in between.
<code>colon</code>	Inserts a colon (:) in between.
<code>period</code>	Inserts a period (.) in between.
<code>space</code>	Inserts a single space character in between.

`quad` Inserts a `\quad` in between.

`endash` Inserts an en dash (–) in between.

`colorize=full,reduced,bw` default: full

`colortheme=bluemagenta,bluegreen` default: bluemagenta

`bibsys=biber,bibtex` default: bibtex

Sets whether to use `biber` or `bibtex` as citation management tool (engine). The default (still) is `bibtex`.

"Biber [is] a BibTeX replacement for users of BibLaTeX", see <<http://biblatex-biber.sourceforge.net/>>.